

# Package: factormodel (via r-universe)

August 23, 2024

**Title** Factor Model Estimation Using Proxy Variables

**Version** 1.0

**Description** Functions to estimate a factor model using discrete and continuous proxy variables. The function 'dproxyme' estimates a factor model of discrete proxy variables using an EM algorithm (Dempster, Laird, Rubin (1977) <doi:10.1111/j.2517-6161.1977.tb01600.x>; Hu (2008) <doi:10.1016/j.jeconom.2007.12.001>; Hu(2017) <doi:10.1016/j.jeconom.2017.06.002> ). The function 'cproxyme' estimates a linear factor model (Cunha, Heckman, and Schennach (2010) <doi:10.3982/ECTA6551>).

**License** GPL-3

**Encoding** UTF-8

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.1.1

**Imports** dplyr, nnet, pracma, stats, utils, gtools

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**Repository** <https://yujunghwang.r-universe.dev>

**RemoteUrl** <https://github.com/yujunghwang/factormodel>

**RemoteRef** HEAD

**RemoteSha** 1f3f0fc544c307330988693dfc6683305a86dbe9

## Contents

cproxyme . . . . .	2
dproxyme . . . . .	3
makeDummy . . . . .	5
weighted.cov . . . . .	5
weighted.var . . . . .	6

<b>Index</b>	<b>7</b>
--------------	----------

---

cproxyme

*cproxyme*


---

### Description

This function estimates a linear factor model using continuous variables. The linear factor model to estimate has the following form.  $\text{proxy} = \text{intercept} + \text{factorloading} * (\text{latent variable}) + \text{measurement error}$ . The measurement error is assumed to follow a Normal distribution with a mean zero and a variance, which needs to be estimated.

### Usage

```
cproxyme(dat, anchor = 1, weights = NULL)
```

### Arguments

dat	A proxy variable data frame list.
anchor	This is a column index of an anchoring proxy variable. Default is 1. That is, the code will use the first column in dat data frame as an anchoring variable.
weights	An optional weight vector

### Value

Returns a list of 3 components :

**alpha0** This is a vector of intercepts in a linear factor model. The k-th entry is the intercept of k-th proxy variable factor model.

**alpha1** This is a vector of factor loadings. The k-th entry is the factor loading of k-th proxy variable. The factor loading of anchoring variable is normalized to 1.

**varnu** This is a vector of variances of measurement errors in proxy variables. The k-th entry is the variance of k-th proxy measurement error. The measurement error is assumed to follow a Normal distribution with mean 0.

**mtheta** This is a mean of the latent variable. It is equal to the mean of the anchoring proxy variable.

**vartheta** This is a variance of the latent variable.

### Author(s)

Yujung Hwang, <yujungghwang@gmail.com>

### References

**Cunha, F., Heckman, J. J., & Schennach, S. M. (2010)** Estimating the technology of cognitive and noncognitive skill formation. *Econometrica*, 78(3), 883-931. doi:10.3982/ECTA6551

**Hwang, Yujung (2021)** Bounding Omitted Variable Bias Using Auxiliary Data. Working Paper. doi:10.2139/ssrn.3866876

**Examples**

```
dat1 <- data.frame(proxy1=c(1,2,3),proxy2=c(0.1,0.3,0.6),proxy3=c(2,3,5))
cproxyme(dat=dat1,anchor=1)
## you can specify weights
cproxyme(dat=dat1,anchor=1,weights=c(0.1,0.5,0.4))
```

---

dproxyme

*dproxyme*


---

**Description**

This function estimates measurement stochastic matrices of discrete proxy variables.

**Usage**

```
dproxyme(
  dat,
  sbar = 2,
  initvar = 1,
  initvec = NULL,
  seed = 210313,
  tol = 0.005,
  maxiter = 200,
  miniter = 10,
  minobs = 100,
  maxiter2 = 1000,
  trace = FALSE,
  weights = NULL
)
```

**Arguments**

dat	A proxy variable data frame list.
sbar	A number of discrete types. Default is 2.
initvar	A column index of a proxy variable to initialize the EM algorithm. Default is 1. That is, the proxy variable in the first column of "dat" is used for initialization.
initvec	This vector defines how to group the initvar to initialize the EM algorithm.
seed	Seed. Default is 210313 (birthday of this package).
tol	A tolerance for EM algorithm. Default is 0.005.
maxiter	A maximum number of iterations for EM algorithm. Default is 200.
miniter	A minimum number of iterations for EM algorithm. Default is 10.
minobs	Compute likelihood of a proxy variable only if there are more than "minobs" observations. Default is 100.

maxiter2	Maximum number of iterations for "multinom". Default is 1000.
trace	Whether to trace EM algorithm progress. Default is FALSE.
weights	An optional weight vector

### Value

Returns a list of 5 components :

**M\_param** This is a list of estimated measurement (stochastic) matrices. The k-th matrix is a measurement matrix of a proxy variable saved in the kth column of dat data frame (or matrix). The ij-th element in a measurement matrix is the conditional probability of observing j-th (largest) proxy response value conditional on that the latent type is i.

**M\_param\_col** This is a list of column labels of 'M\_param' matrices

**M\_param\_row** This is a list of row labels of 'M\_param' matrices. It is simply c(1:sbar).

**mparam** This is a list of multinomial logit coefficients which were used to compute 'M\_param' matrices. These coefficients are useful to compute the likelihood of proxy responses.

**typeprob** This is a type probability matrix of size N-by-sbar. The ij-th entry of this matrix gives the probability of observation i to have type j.

### Author(s)

Yujung Hwang, <yujungghwang@gmail.com>

### References

- Dempster, Arthur P., Nan M. Laird, and Donald B. Rubin (1977)** "Maximum likelihood from incomplete data via the EM algorithm." *Journal of the Royal Statistical Society: Series B (Methodological)* 39.1 : 1-22. doi:10.1111/j.25176161.1977.tb01600.x
- Hu, Yingyao (2008)** Identification and estimation of nonlinear models with misclassification error using instrumental variables: A general solution. *Journal of Econometrics*, 144(1), 27-61. doi:10.1016/j.jeconom.2007.12.001
- Hu, Yingyao (2017)** The econometrics of unobservables: Applications of measurement error models in empirical industrial organization and labor economics. *Journal of Econometrics*, 200(2), 154-168. doi:10.1016/j.jeconom.2017.06.002
- Hwang, Yujung (2021)** Identification and Estimation of a Dynamic Discrete Choice Models with Endogenous Time-Varying Unobservable States Using Proxies. Working Paper. doi:10.2139/ssrn.3535098
- Hwang, Yujung (2021)** Bounding Omitted Variable Bias Using Auxiliary Data. Working Paper. doi:10.2139/ssrn.3866876

### Examples

```
dat1 <- data.frame(proxy1=c(1,2,3),proxy2=c(2,3,4),proxy3=c(4,3,2))
## default minimum num of obs to run an EM algorithm is 10
dproxyme(dat=dat1,sbar=2,initvar=1,minobs=3)
## you can specify weights
dproxyme(dat=dat1,sbar=2,initvar=1,minobs=3,weights=c(0.1,0.5,0.4))
```

---

makeDummy	<i>makeDummy</i>
-----------	------------------

---

**Description**

This function is to make dummy variables using a discrete variable.

**Usage**

```
makeDummy(tZ)
```

**Arguments**

tZ                    An input vector

**Value**

Returns dZ, a matrix of size length(tZ)-by-card(tZ) :

The ij-th element in dZ is 1 if tZ[i] is equal to the j-th largest value of tZ. And the ij-th element in dZ is 0 otherwise. The row sum of dZ must be 1 by construction.

**Author(s)**

Yujung Hwang, <yujungghwang@gmail.com>

**Examples**

```
makeDummy(c(1,2,3))
```

---

weighted.cov	<i>weighted.cov</i>
--------------	---------------------

---

**Description**

This function is to compute an unbiased sample weighted covariance. The function uses only pairwise complete observations.

**Usage**

```
weighted.cov(x, y, w = NULL)
```

**Arguments**

x                    An input vector to compute a covariance, cov(x,y)  
y                    An input vector to compute a covariance, cov(x,y)  
w                    A weight vector

**Value**

Returns an unbiased sample weighted covariance

**Author(s)**

Yujung Hwang, <yujungghwang@gmail.com>

**Examples**

```
# If you do not specify weights,
# it returns the usual unweighted sample covariance
weighted.cov(x=c(1,3,5),y=c(2,3,1))

weighted.cov(x=c(1,3,5),y=c(2,3,1),w=c(0.1,0.5,0.4))
```

---

weighted.var

*weighted.var*

---

**Description**

This function is to compute an unbiased sample weighted variance.

**Usage**

```
weighted.var(x, w = NULL)
```

**Arguments**

x	A vector to compute a variance, var(x)
w	A weight vector

**Value**

Returns an unbiased sample weighted variance

**Author(s)**

Yujung Hwang, <yujungghwang@gmail.com>

**Examples**

```
## If you do not specify weights,
## it returns the usual unweighted sample variance
weighted.var(x=c(1,3,5))

weighted.var(x=c(1,3,5),w=c(0.1,0.5,0.4))
```

# Index

`cproxyme`, [2](#)

`dproxyme`, [3](#)

`makeDummy`, [5](#)

`weighted.cov`, [5](#)

`weighted.var`, [6](#)